

A Safety Data Sheet is not legally required for this product under the Regulation No 1907/2006 (REACH) and Regulation No 1272/2008 (CLP). The following information is provided as a courtesy service to our customers.

SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING**1.1 Product identifier**

Trade name:	CARBOBOND® KRYPTOSPHERE® LD
Registration number:	OSPAR – Denmark: 2505556 OSPAR – Netherlands: 27286 OSPAR – Norway: 21381 OSPAR – United Kingdom: 27286 REACH: Not applicable (article)
Synonym(s):	Resin-Coated Ceramic Proppant; Semi-Crystalline Alumina Silicate; Sintered Kaolinite
Preparation/Revision date:	16 September 2016

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:	Proppant for oil and natural gas well hydraulic fracturing
Uses advised against:	None known

1.3 Details of the supplier of the safety data sheetManufacturer / Supplier

Company name:	CARBO Ceramics Inc.
Address:	575 N. Dairy Ashford Road, Suite 300 Houston, Texas 77079, USA
Customer service:	+1-337-367-6151

1.4 Emergency telephone number	NA (non-hazardous product)
---------------------------------------	----------------------------

SECTION 2: HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture**

The article has been assessed and /or tested for its physical, health and environmental hazards and the following classifications apply.

Classification according to Directive 67/548/EEC or 1999/45/EC as amended
Classification: Not classified

Classification according to Regulation (EC) No. 1272/2008 as amended
Classification: Not classified

SECTION 2: HAZARDS IDENTIFICATION (CONT'D)**2.2 Label elements**

Contains:	None
Hazard pictogram:	None
Signal word:	None
Hazard statement:	None
Precautionary statements:	
- Prevention:	None
- Response:	None
- Storage:	None
- Disposal:	None
Supplemental label information:	None

2.3 Other hazards None

Hazard summary

Physical hazards:	Not classified for physical hazards.
Health hazards:	While the use of this product as intended generally does not create respirable dusts, small amounts may form from transport or conveyance. Prolonged inhalation of insoluble, respirable (less than 10 micron) dusts can lead to pulmonary damage. Use standard hygienic practices to minimize exposure to dusts that may form.
Environmental hazards:	Not classified for hazards to the environment.
Main symptoms:	Exposure to dust may cause irritation of eyes, nose, throat and mucous membranes. Prolonged contact with skin may cause irritation. Use of the product as intended does not result in exposure to dust.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**ARTICLE****3.1 Article**

Chemical Name	Percent	CAS No./EC No.	REACH Registration No.	INDEX No.	Notes
Ceramic materials and wares, chemicals	95 - 100	66402-68-4 266-340-9	-	-	#
Phenol formaldehyde resin	0 - 5	9003-35-4 500-005-2	-	-	#

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS (CONT'D)

CLP: Regulation No. 1272/2008 Not applicable
DSD: Directive 67/548/EEC Not applicable

#: This substance has workplace exposure limit(s)

Composition comments: The full text for all R- and H- phrases is displayed in Section 16. All concentrations are in percent by weight unless ingredients are a gas. Gas concentrations are in percent by volume.

SECTION 4: FIRST AID MEASURES**General Information**

Show this Safety Data Sheet to the medical professional in attendance.
Exposure is not anticipated with use of this product as intended. If symptoms occur, follow first aid measures as appropriate.

4.1 Description of first aid measures

Inhalation: Remove to fresh air. Get medical attention if irritation or symptoms persist.
Skin contact: Wash with soap and water. Get medical attention if irritation develops or persists.
Eye contact: Rinse immediately with plenty of water, including under the eyelids, for at least 15 minutes. Get medical attention if irritation or symptoms persist.
Ingestion: Rinse mouth. Do not induce vomiting. Get medical attention.
Notes to Physician: None specified

4.2 Most important symptoms and effects, both acute and delayed

Exposure to dust may cause irritation of eyes, nose, throat and mucous membranes. Prolonged contact with skin may cause irritation. Use of the product as intended does not result in exposure to dust.

4.3 Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptoms as needed.

SECTION 5: FIRE FIGHTING MEASURES

General fire hazards Product may ignite if exposed to open flame or other ignition sources.

5.1 Extinguishing Media

Suitable extinguishing media: CO₂, dry chemical, foam or water
Unsuitable extinguishing media: Not applicable

5.2 Special hazards arising from the substance or mixture Not applicable

5.3 Advice for firefighters

Special protective equipment for firefighters: In the event of fire, wear self-contained breathing apparatus.
Special firefighting procedures: Not applicable
Special remarks on fire hazards: None

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel: Avoid dust formation. Wear suitable protective clothing. Avoid contact with skin and eyes.
For emergency responders: Use personal protection recommended in Section 8 of the SDS.

6.2 Environmental Precautions None known

6.3 Methods and materials for containing and cleaning up Sweep up spilled substance and remove to safe place. Pick up and arrange for disposal without creating dust. Spilled material can reduce traction and may present a slip hazard. Collect and dispose of spillage as indicated in Section 13.

6.4 Reference to other Sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling** Avoid dust formation. Avoid breathing dust. Observe good industrial hygiene practices. Spilled material can reduce traction and may present a slip hazard.
- 7.2 Conditions for safe storage, including any incompatibilities** Keep container tightly closed. Store in accordance with local, regional, national and international regulations.
- 7.3 Specific end use(s)** Industrial use – oil & gas well stimulation.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Austria. MAK List

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

Belgium. Occupational Exposure Limits

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

Bulgaria. Occupational Exposure Limits:

Regulation No. 13 of Ministry of Labor & Social Policy, with Ministry of Health on protection of workers related to exposure to chemical agents exposure at work.

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

Croatia. Occupational Exposure Limits

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION (CONT'D)

Cyprus. Occupational Exposure Limits:

Control of factory atmosphere and dangerous substances in factories regulation, PL 311/173, as amended

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

Czech Republic. Occupational Exposure Limits:

Government Decree 361

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	TWA	2.0 mg/m ³	Respirable fraction, ≤5% silica, cristobalite, tridymite and .gamma.-aluminium oxide
Phenol formaldehyde resin	9003-35-4	TWA	5.0 mg/m ³	Dust

Denmark. Occupational Exposure Limits

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

Estonia. Occupational Exposure Limits:

Limit Values for Hazardous Substances (Minister of Social Affairs Regulation No. 57)

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

Finland. Occupational Workplace Exposure Limits

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

France. Threshold Limit Values:

(VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION (CONT'D)

Germany. Workplace Exposure Limits:

TRGS 900, Limit Values in the Ambient Air at the Workplace

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

Greece. Occupational Exposure Limits

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

Hungary. Occupational Exposure Limits:

Joint Decree on Chemical Safety of Workplaces

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

Iceland. Occupational Exposure Limits:

Regulation 154/1999 on occupational exposure limits

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

Ireland. Occupational Exposure Limits

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

Italy. Occupational Exposure Limits

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

Latvia. Occupational Exposure Limits

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	TWA	2 mg/m ³	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION (CONT'D)

Lithuania. Occupational Exposure Limits:

Occupational Exposure Limit Values for Hazardous Chemical Substance Concentration, General Requirement (No. 645/169)

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	TWA	3 mg/m ³	Thermoset dust

Netherlands. Occupational Exposure Limits

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

Norway. Occupational Exposure Limits

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

Poland. Maximum Allowable Concentrations:

Minister of Labour and Social Policy

Regarding Maximum Allowable Concentrations and Intensities in Working Environment

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

Portugal. Exposure Limit Values:

Norm on occupational exposure to chemical agents (NP1796)

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

Romania. Occupational Exposure Limits

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION (CONT'D)

Serbia. Occupational Exposure Limits

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

Slovak Republic. Occupational Exposure Limits:

Decree of the government of the Slovak Republic concerning protection of health in work with chemical agents

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	TWA	2 mg/m ³	Respirable fraction, ≤ 5%
		TWA	10 mg/m ³	fibrogenic component
		TWA	10 mg/m ³	Respirable fraction, > 5% fibrogenic component
Phenol formaldehyde resin	9003-35-4	TWA	5 mg/m ³	Total aerosol

Slovenia. Occupational Exposure Limits:

Regulation concerning protection of workers against risks due to exposure to chemicals while working

(Official Gazette of the Republic of Slovenia)

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

Spain. Occupational Exposure Limits

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

Sweden. Occupational Exposure Limits

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION (CONT'D)

Switzerland. Workplace Exposure Limits:

SULA Grenzwerte am Arbeitsplatz

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

Turkey. Occupational Exposure Limits

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

United Kingdom. Workplace Exposure Limits:

EH40

Component	CAS No.	Type	Value	Form
Ceramic materials and wares, chemicals	66402-68-4	N/A	N/A	N/A
Phenol formaldehyde resin	9003-35-4	N/A	N/A	N/A

Consult local authorities for acceptable exposure limits

8.2 Exposure Controls

Appropriate engineering controls: Observe occupational exposure limits and prevent generation of dusts.

Individual Protective Measures

General Information: Personal protective equipment should be chosen according to applicable standards and in consultation with the supplier of the personal protective equipment. Spilled material can reduce traction and may present a slip hazard.

Eye/face protection: Wear safety glasses with side shields or goggles. Avoid wearing contact lenses while handling.

Skin protection:

- Hand protection: Wear protective gloves.
- Other: Minimize skin contact.

Respiratory protection: In case of inadequate ventilation or risk of inhalation of dust, use a suitable air purifying respirator with particle filter or dust mask (Type P2).

Thermal hazards: Not applicable

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION (CONT'D)

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Environmental exposure controls Environmental manager must be informed of all major releases.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	Solid spheres	Explosive properties	Not applicable
Color	Pale green to pale yellow	Explosive limit	Not applicable
Odor	Odorless	Vapor pressure	Not applicable
Odor threshold	Not applicable	Vapor density	Not applicable
pH	Not applicable	Evaporation rate	Not applicable
Melting/freezing point	Not applicable (Cross-linked resin coating) 4,000°F / 2,204°C (Estimated - Substrate)	Relative density	2.65 – 2.7 (water = 1)
Boiling point, initial boiling point and boiling range	Not applicable	Partition coefficient (n-octanol/water)	< 2.30
Flash point	Not applicable	Solubility (water)	Insoluble in water
Auto-ignition temperature	Not applicable	Decomposition temperature	No data available
Flammability (solid, gas)	Not applicable	Bulk density	1,450 - 1,600 kg/m ³ (90.5 – 99.9 lb/ft ³)
Flammability limit-lower%	Not applicable	Viscosity	Not applicable
Flammability limit-upper%	Not applicable	VOC (weight %)	0 %
Oxidizing properties	Not applicable	Percent volatile	Not applicable

9.2 Other Information No relevant additional information available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2 Chemical stability Material is stable under normal conditions.

SECTION 10: STABILITY AND REACTIVITY (CONT'D)

10.3 Possibility of hazardous reactions	Hazardous polymerization does not occur under normal conditions.
10.4 Conditions to avoid	Avoid exposure to flame or other ignition sources.
10.5 Incompatible materials	Strong oxidizers
10.6 Hazardous decompositions products	Thermal decomposition may produce oxides of carbon, oxides of nitrogen, ammonia, aldehydes, phenol or other materials.

SECTION 11: TOXICOLOGICAL INFORMATION**General information on likely routes of exposure**

Ingestion:	May cause discomfort if swallowed.
Inhalation:	Inhalation of dust may cause respiratory irritation. Use of this product as intended does not result in exposure to dust.
Skin contact:	Dust may irritate skin. Use of this product as intended does not result in exposure to dust.
Eye contact:	Dust may irritate eyes. Use of this product as intended does not result in exposure to dust.
Symptoms:	Exposure to dust may cause irritation of eyes, nose, throat and mucous membranes. Prolonged contact with skin may cause irritation. Use of the product as intended does not result in exposure to dust.

11.1 Information on toxicological effects

Acute Toxicity:	No data were identified for this product.
Serious Eye Damage/Irritation:	No data were identified for this product.
Skin corrosion/Irritation:	No data were identified for this product.
Respiratory/Skin Sensitization:	No data were identified for this product.
Germ Cell Mutagenicity:	No data were identified for this product.
Carcinogenicity:	No data were identified for this product.
Reproductive Toxicity:	No data were identified for this product.
Developmental Effects:	No data were identified for this product.
STOT – Single Exposure:	No data were identified for this product.

SECTION 11: TOXICOLOGICAL INFORMATION (CONT'D)

STOT – Repeated Exposure:	While the use of this product as intended generally does not create respirable dusts, small amounts may form from transport or conveyance. Prolonged inhalation of insoluble, respirable (less than 10 micron) dusts can lead to pulmonary damage. Use standard hygienic practices to minimize exposure to dusts that may form.
Aspiration Hazard:	Not relevant based on physical form of the product.
Conclusion/Summary	This product is not expected to produce toxic effects.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity / Aquatic ecotoxicity

Product / ingredient name	Test	Result (mg/L)	Species	Exposure
CARBOBOND KRYPTOSPHERE LD Tested as CARBOBOND® LITE®	ISO10253:2006	EC ₅₀ : 7,456 EC ₉₀ : >10,000	Algae	72 hour
	ISO14669:1999	LC ₅₀ : >10,000 NOEC: 10,000	Crustacean	48 hour
	OECD 203: Fish Acute Toxicity	LC ₅₀ : >7,456 NOEC: 7,456	Fish	96 hour
	OSPAR Protocol 2006 (Sediment Reworker)	LC ₅₀ : >14,328 mg/kg NOEC: 14,328 mg/kg	Crustacean	10 day

12.2 Persistence and degradability	Product is not biodegradable with low solubility in water and is not expected to decompose in the environment.
12.3 Bioaccumulative potential	Product is not biodegradable with low solubility in water and is not expected to accumulate in the environment.
12.4 Mobility	No data available
12.5 Results of PBT and vPvB assessment	Not a PBT or vPvB material
12.6 Other adverse effects	This product is not classified as hazardous to the environment.

SECTION 12: ECOLOGICAL INFORMATION (CONT'D)**Conclusion/Summary**

Ecotoxicity data from comparable products indicates that this product is non-toxic in the environment.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Residual waste:	Dispose of in accordance with all applicable regulations.
Contaminated packaging:	Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU Waste Code:	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information:	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local, regional, national, international regulations.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14: TRANSPORT INFORMATION

14.1 UN Number	Not applicable, not regulated as hazardous for transport.
14.2 UN proper shipping name	Not applicable, not regulated as hazardous for transport.
14.3 Transport hazard class(es)	Not applicable, not regulated as hazardous for transport.
14.4 Packing group	Not applicable, not regulated as hazardous for transport.
14.5 Environmental hazards	Not applicable, not regulated as hazardous for transport.
14.6 Special precautions for user	Not applicable, not regulated as hazardous for transport.
14.7 Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	Not applicable, not regulated as hazardous for transport.

The transport regulation may vary based on the country of use. Check for the appropriate regulations in the country of transport or usage of this product.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulations

Regulation (EC) No. 2037/2000 on substances that deplete the ozone layer, Annex I:	Not listed
Regulation (EC) No. 2037/2000 on substances that deplete the ozone layer, Annex II:	Not listed
Regulation (EC) No. 850/2004 on persistent organic pollutants, Annex I:	Not listed
Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1:	Not listed
Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2:	Not listed
Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3:	Not listed
Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V:	Not listed
Directive 96/61/EC concerning integrated pollution prevention and control (IPPC): Article 15, European Pollution Emission Registry (EPER):	Not listed
Regulation (EC) No. 1907/2006, REACH Article 59(1):	Not listed

Other Regulations

This Safety Data Sheet complies with the requirements of the Regulation (EC) No. 1907/2006. The product is classified and labeled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended and respective national laws implementing EC directives. This product is not classified as dangerous according to Directive 67/548/EEC.

Other National Regulations

Follow national regulations for work with chemical agents.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: OTHER INFORMATION

Label Requirements

None

List of abbreviations

CAS	Chemical Abstract Service
CLP	Classification, Labelling and Packaging Regulation (Europe)
DSD	Dangerous Substances Directive

SECTION 16: OTHER INFORMATION (CONT'D)

EC50/90	Effective Concentration (median / 90 th percentile)
LC50/90	Lethal Concentration (median / 90 th percentile)
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation and Authorization of Chemicals (Europe)
vPvB	Very Persistent and Very Bioaccumulative

References

ChemAdvisor List of Lists (LOLI)
IARC Monographs. Overall Evaluation of Carcinogenicity
IUCLID DATA Set

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. For details refer to Sections 9, 11 and 12.

Full test of any statements or R-phrases and H-phrases under Section 2 to 12

None

Training information

Follow training instructions when handling this material.

SDS Revisions

SDS prepared on 16 September 2016.

Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available.